



Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN CERTAIN COUNTIES IN THE STATE OF OREGON

FUSILADE® DX Herbicide

**EPA REG. NO. 100-1070
EPA SLN NO. OR-040006**

For Quackgrass Control in Alfalfa Grown for Seed

This label valid until December 31, 2007 or until otherwise amended, withdrawn, cancelled, or suspended.

Active Ingredient:

Fluazifop-P-butyl	
Butyl (R)-2-[4-[[5-(trifluoromethyl)-2-pyridinyl]oxy]phenoxy]propanoate*	24.5%
Other Ingredients	75.5%
Total:	100.0%

*Fusilade DX herbicide contains 2 pounds (+) isomer (fluazifop-P-butyl) per gallon contains petroleum hydrocarbons.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions, and precautions on this Supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber, or neoprene rubber or viton
- Shoes plus socks

ALFALFA (GROWN FOR SEED): For control of quackgrass (*Agropyron repens*) in alfalfa grown for seed in Oregon, make two applications of FUSILADE DX herbicide following the application directions on the EPA-registered label.

WEED	APPLICATION	HEIGHT	RATE
Quackgrass	1st	6 to 10 inches	12 fl. oz./Acre
	2nd	up to 10 inches	8 fl. oz./Acre

Make the second application 2-3 weeks after the first, but before the quackgrass exceeds 10 inches in height. Always use crop oil concentrate at 1% v/v.

SPECIAL CROP USE RESTRICTIONS

For use only on fields of alfalfa grown for seed operated by members of the Oregon Alfalfa Seed Growers Association, the Gardena Alfalfa Seed Growers Association, Inc., or the Josephine Growers' Cooperative Association and located in Malheur, Umatilla, Morrow, Jackson or Josephine Counties of Oregon.

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator should provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, should provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed. This restriction pertains to, but is not limited to, green chop, hay, pellets, meal, whole seed, cracked

seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement::

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

Environmental Hazards

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area.

24(c) registrant:
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419-8300

EPA SLN No.: OR-040006

Label Code: OR1070062AA0104

Word –ORFusiladeDXAlfaSLNLbl