

**SUPPLEMENTAL LABELING**  
**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON**

This label valid until December 31, 2009 or until otherwise amended, withdrawn, cancelled or suspended.

**DIBROM<sup>®</sup> 8 EMULSIVE**  
**EPA REG. NO. 5481-479**  
**EPA SLN NO. OR-990032**

**ACTIVE INGREDIENT:**

\*Naled .....62%

**OTHER INGREDIENTS:**.....38%

TOTAL 100%

\*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate  
Contains 7.5 pounds per gallon Naled

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER – PELIGRO**

**DO NOT TAKE INTERNALLY. DO NOT GET IN EYES. DO NOT GET ON SKIN.**

Si usted entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

**Follow all applicable directions, restrictions, and precautions on the main EPA registered label and this label.**

**This labeling and the main EPA label must be in possession of the users at the time of pesticide application.**

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish, aquatic invertebrates, and wildlife. For terrestrial uses. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply within 24 hours following rainfall or irrigation, or in areas where intense or sustained rainfall is forecasted to occur within 24 hours following application. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow drift to blooming crops or weeds while bees are actively visiting the treatment area.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

### GENERAL INSTRUCTIONS

Do not apply this product through any type of irrigation system.

**APPLICATION TIMING:** Begin application at first sign of insects. Repeat applications may be made up to the maximum seasonal amount indicated, but may not be made at less than 7 day intervals.

**APPLICATION EQUIPMENT:** This product may be applied by ground or aerial spray equipment. Aerial application must be made with closed cockpit aircraft. Do not use backpack spray equipment when treating agricultural crops. See below for spray drift management precautions and recommendations.

### Restrictions:

**Ground Application:** Do not apply by ground within 25 feet of lakes; reservoirs; rivers; permanent streams, marshes, or natural ponds; estuaries and commercial fish farm ponds, where wind is blowing or gusting toward these areas.

**Aerial Application:** Do not apply by air within 150 feet of lakes; reservoirs; rivers; permanent streams, marshes, or natural ponds; estuaries and commercial fish farm ponds, where wind is blowing or gusting toward these areas to small trees.

### RECOMMENDED APPLICATION - AGRICULTURAL USE

Seed Crop	Pest	Rate (pints per acre)	Restrictions
Alfalfa (seed only)	Lygus	1 to 1-1/2	<ul style="list-style-type: none"><li>Do not apply more than three (3) applications per cutting.</li><li>Do not graze treated alfalfa.</li><li>Treated alfalfa seed is not to be used for sprouting.</li><li>Do not move alfalfa leafcutting bee shelters into the treatment area for at least 12 hours after application. Bee kills may result from applications of 1 pt/acre (1 lb a.i./acre) or more to blooming alfalfa seed, even if all precautions are followed.</li></ul>
	Thrips	1/2	
Carrots	Lygus	1 to 1-1/2	<ul style="list-style-type: none"><li>Do not apply more than 3 pints per acre per year.</li><li>Allow 48 hours after application before introducing bees for pollination.</li><li>During the bloom period, bees must be removed from the field for a minimum of 48 hours after application prior to reintroduction.</li><li>Do not apply during the main bloom period if another seed crop within ½ mile is being pollinated by honeybees. Bee kills may result from applications of 1 pt/acre (1 lb a.i./acre) or more to blooming carrot seed, even if all precautions are followed.</li></ul>

## **Bee Protection Statement**

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product to blooming carrot seed if bees are visiting the treatment area. Allow 48 hours after application before introducing bees for pollination. During the bloom period bees must be removed from the field for a minimum of 48 hours after application prior to their reintroduction. Applications made during the bloom period must coincide with periods of minimum bee activity between late evening and 11 PM. Do not apply if weather conditions favor dew formation the night of application. Do not spray during the main bloom period if another seed crop within 1 mile is being pollinated by bees. Bee kills may result from applications of 1 pt/acre (1 lb. ai/acre) or more to blooming carrot seed, even if all precautions are followed.

**Consult Oregon State Extension Entomologist if Integrated Pest Management (IPM) programs are in use.**

## **Special Crop Use Restrictions:**

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator should provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate should provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed. This restriction pertains to, but is not limited to, green chop, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

## **Endangered Species**

Certain uses of naled may be restricted by a U.S. District Court final order. You may refer to the Oregon Department of Agriculture website at <http://oregon.gov/ODA/PEST/buffers.shtml>, or to the EPA website <http://www.epa.gov/espp/wtc/maps.htm#wtc6> for information regarding pesticides that may be impacted by the final order.

**IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Limitation of Warranty and Liability before using this product.**

## **24(c) Registrant::**

AMVAC Chemical Corporation  
4100 E. Washington Boulevard  
Los Angeles, CA 90023 U.S.A.  
[www.amvac-chemical.com](http://www.amvac-chemical.com)  
1-323-264-3910