



## Section 24(c) Special Local Need Label

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON**

**Tilt®**

**EPA Reg. No. 100-617  
EPA SLN No. OR-050012**

This label valid until December 31, 2008 or until otherwise amended, withdrawn, cancelled, or suspended.

### **For Suppression of Ergot in Grasses Grown for Seed**

Active Ingredient:

Propiconazole: CAS No. 60207-90-1 .....41.8%

Other Ingredients\*: .....58.2%

Total: .....100.0%

\*Contains petroleum distillates

**KEEP OUT OF REACH OF CHILDREN.**

#### **WARNING/AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions, and precautions on this supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### **Environmental Hazards**

This pesticide is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. Refer to product labeling for use restrictions to protect endangered species.

---

## DIRECTIONS FOR USE

---

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.** Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves, such as barrier laminate or viton
- Shoes plus socks
- Protective eyewear

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

---

## Crop Use Directions

---

### **Ergot Suppression in Grasses Grown For Seed**

*Claviceps purpurea*, causal agent of ergot, produces elongated, black sclerotia that replace seeds in infected florets of grasses grown for seed. Sclerotia serve as the primary source of inoculum. Under moist springtime conditions, spores from sclerotia infect plants during flowering. Infection produces exudates which impede harvest. Disease history (observing ergot in a field the previous season), cultivar susceptibility, and environmental conditions which encourage disease are factors to consider when attempting to minimize losses from ergot.

**Ergot suppression with Tilt:** Apply 4 - 8 fl. oz. Tilt per acre just prior to anthesis using a minimum of 20 gals. of water per acre with ground equipment or a minimum of 10 gals. of water per acre with aerial equipment. Under severe disease conditions, or periods of extended bloom, make a second application 7 - 10 days later. For ergot suppression, **DO NOT** make more than 2 applications per growing season. For best results, tank-mix Tilt with an appropriate surfactant (contact Extension or Syngenta personnel for information on surfactants used for ergot suppression in your area).

**DO NOT** apply more than 16 fl. oz. of Tilt per acre per growing cycle for ergot suppression. Make the last application at least 20 days before seed matures.

**Note: DO NOT:** 1) feed hay cut within 20 days of the last application, or 2) graze treated areas within 140 days of the last application.

For information on other diseases controlled by Tilt fungicide, refer to the Federal Tilt label.

Tilt® is a trademark of a Syngenta Group Company

24(c) registrant:  
Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, NC 27419-8300

Label Code: 0R0617084AA0405