



SIPCAM AGRO USA, INC.

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON
SPECIAL LOCAL NEED [FIFRA 24(c)] LABEL
FOR CONTROL OF DISEASES ON GRASSES GROWN FOR SEED**

EPA Reg. No. 60063-7

EPA SLN NO. OR-980010

ECHO[®] 720
Agricultural Fungicide

Contains 6.0 Pounds Chlorothalonil Per Gallon (720 grams per liter)

| | |
|---|--------|
| Active Ingredient: Chlorothalonil (tetrachloroisophthalonitrile) | 54.0% |
| Inert Ingredients: | 46.0% |
| Total: | 100.0% |

Keep Out of Reach of Children

WARNING-AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**Manufactured for
Sipcam Agro USA, Inc.
300 Colonial Center Parkway
Suite 230
Roswell, Georgia 30076**

ECHO is a registered trademark of Sipcam Agro USA, Inc..

This label valid until December 31, 2009 or until otherwise amended, withdrawn, canceled, or suspended.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates and wildlife. DO NOT apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. DO NOT contaminate water when disposing of equipment washwater or rinsate. Chlorothalonil can contaminate surface water through spray drift. DO NOT apply when weather conditions favor drift from treated areas. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain to surface water.

Chlorothalonil degradates are known to leach through soil into ground water under certain conditions as a result of label use. Use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

DIRECTIONS FOR USE

General Precautions and Restrictions

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions, and precautions on this Supplemental label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, shoes plus socks, and protective eyewear.

Special Eye Irritation Provisions: This product is a severe eye irritant. Although the restricted-entry interval expires after 12 hours, for the next 6½ days entry is permitted only when the following safety measures are provided:

At least one container designed specifically for flushing eyes must be available in operating condition at the WPS-required decontamination site intended for workers entering the treated area.

Workers must be informed, in a manner they can understand:

- that residues in the treated area may be highly irritating to their eyes;
- that they should take precautions, such as refraining from rubbing their eyes, to keep the residues out of their eyes;
- that if they do get residues in their eyes, they should immediately flush their eyes using the eyeflush container that is located at the decontamination site or using other readily available clean water; and
- how to operate the eyeflush container.

SPECIAL LOCAL NEED [FIFRA 24(c)] DIRECTIONS FOR CONTROL OF DISEASES ON GRASSES GROWN FOR SEED

| Disease | PHI (days) | Rate Per Acre | Application Directions |
|---|---------------|---------------------|---|
| Stem rust, Leaf rust, Septoria leaf spot, Glume blotch, Bipolaris and Drechslera leaf spots | 14 | 1 to 1-1/2 pints | Begin applications during stem elongation when conditions favor disease development. Re-apply at flag (top) leaf emergence and repeat applications at 14 day intervals. A maximum of 6 pints of Echo 720 Agricultural Fungicide (4.5 pounds a.i.) per acre may be used on grasses grown for seed during each growing season. DO NOT allow livestock to graze in treated areas or feed hay produced before harvest. Feeding of treated plant parts to livestock after harvest of seed is allowed. |
| Selenophoma eyespot | | 1 to 2 pints | |